



پتروسازان بارین

PETROSAZAN BARIN

شماره ثبت (۶۳۳۵۵۴) سهامی خاص



پیشرفت سریع و روز افزون تکنولوژی هر فرد و مجموعه پویائی را بر آن می دارد که در راستای دست یابی به اهداف عالی خود از بهترین امکانات و فن آوری های روز دنیا بهره جوید. مجموعه پتروسازان بارین با بهره گیری از پرسنل مجرب و کار آزموده با بیش از چندین سال سابقه مفید و توان رقابتی بالا در زمینه واردات و تامین، لوله، اتصالات شیرآلات، فلنج، واشرهای آب بندی، لرزه گیر و ... آمادگی خود را جهت همکاری با شرکت های فعال در زمینه صنایع نفت، گاز، پتروشیمی، نیروگاهی، سیمان، صنایع دریایی، صنایع فولاد آب و فاضلاب، تاسیسات ساختمانی و صنعتی و سیالات در زمینه های ذیل اعلام می دارد:

- تامین و تدارک کالا با توجه به شرایط درخواست در کمترین زمان و مناسب ترین قیمت با کیفیت مطلوب و مشخصات فنی درخواستی
- امکان سفارش ساخت و تدارک بر اساس نیازها و خواسته کارفرما

حفظ و بهبود روزافزون کیفیت، نوآوری و خلاقیت، پاسخگویی و مسئولیت پذیری در همه بخشهای مجموعه پتروسازان بارین توانسته است رضایت مشتریان و مصرف کنندگان عزیزمان را در سطح کشور جلب نماید و این اقبال را فراهم آورده تا بهترین امکانات و شایسته ترین خدمات را به مشتریان خود در سراسر کشور ارائه داده و همواره از نظرات و انتقادهای راهبردی این عزیزان در کلیه زمینه ها بهره مند گردیم.

PIPES	
TYPES	SEAMLESS & WELDED PIPES, ERW, SAW & LSAW, EFW
MATERIAL & GRADES	CARBON STEEL, STAINLESS STEEL, ALLOY STEEL & OTHER AUSTENITIC STEEL C.S, API 5L, A106 GR.B, GR. X-42, X-52, X-60, X-65 X-70, A333 GR.1, GR.3 GR.6 A335 GR.P1 P5 P9 P11 P22 S.S A312 TP 304 304L 316L F321 317L 310S DUPLEX, MONEL, INCONEL, HASTELLOY ST35/8, A213-T22
SCHEDULES	SCH10 TO XXS IN CARBON STEEL/10S TO 160S IN STAINLESS STEEL AND OTHER AUSTENITIC NON- STANDARDS THICKNESS
SIZE	1/2" TO 82"
MANUFACTURES	EUROPE, CHINA, KOREA, JAPAN, INDIA & IRAN



VALVES

TYPES	BALL VALVE / GATE VALVE / GLOBE VALVE / CHECK VALVE NEEDLE VALVE / BUTTERFLY VALVE / STRAINER SAFETY RELIEF VALVE / PLUG VALVE / LINE BREAK VALVE
MATERIAL & GRADES	A105N/ WCB/ WCC/ LF2/ LCB/ LCC/ F304 - 304L F316-316-L/ F321/ CF8 CF8M/ CF3/ CF3M/ F5/ F9/ F11/ F22
TRIM	13% CR/ 304SS/ 316SS/ HF STELLITED/ MONEL/ CU- NI/ HASTELLOY B C/ BRONZE
SIZE	1/2" TO 82"
CLASS	150/ 300/ 600 / 900/ 1500/ 2500



BUTT WELDING	
TYPES	EQUAL & REDUCING TEE, CONCENTRIC & ECONCENTRIC REDUCER, 45/90/180 ELBOW SHORT REDIUS /LONG(SR/LR)
SIZES	1/2" UP TO 64"(WELD & SEAMLESS)
MATERIAL	CARBON STEEL, STAINLESS STEEL, GALV, ALLOY STEEL, OTHER AUTHENTIC, STEEL GRADES AND NACE MATERIAL
CARBON STEEL GRADES	A234/WPB: ASTM 70, 65, 60, 56, 46, 46, A234 WPHY 42, 52, 60 A420/ WPL3, WPL6/ MSS-SP-75/ A234/ A350/ F11
STAINLESS STEEL GRADES	ASTM: A403 WP 304, 304L, 304H, 316, 316L, 317, 321, 310, 347
ALLOY STEEL GRADES	A234: ASTM WP 5, WP 9, WP 11, WP 22, WP 1, MONEL, INCONEL, TITIANIUM, HASTELLOY
SCHEDULES	SCH 10S TO XXS
MANUFACTURES	EUROPE, U.S.A, CHINA, KOREA, JAPAN, IRAN



FLANGES

TYPES	WELDING NECK/ THREAD/ SLIP-ON/ LAP JOINT BLIND SOCKET WELD/ ORIFICE ANCHOR (RF.FF.SF.RTJ) CLASS: #150 THRU 2500 & PN 10/16
MATERIAL	CARBON STEEL/ STAINLESS STEEL/ GALV/ ALLOY STEEL AND OTHER AUSTENITIC STEEL GRADES & NACE MATERIA, ...
GRADES	ASTM A105N / A350 LF1 / LF2 / LF3 / LF6 A182 F1 / F5/ F11 / F22 A182 F304-304L/ F316-316L/ F321/ F347
SIZE & SCHEDULES	1/2" TO 52"
MANUFACTURES	EUROPE, U.S.A, CHINA, KOREA, JAPAN & IRAN



VALVES SW&NPT	
TYPES	GATE VALVE, GLOBE VALVE, BALL VALVE CHECK VALVE (LIFT, SWING, BALL)
SIZES	1/4" TO 2"
CLASS	#600, #800, #1500, #2500
MATERIAL BODY	A105N, A350 LF2, A350 LF3
CARBON STEEL	A182 F304-304L, F316-316L, 321, 317L
ALLOY STEEL	A182 F5, F9, F11, F22
OTHER	A182 F20, A182 F53, A182 F44, MONEL, INCONEL_600_625
TRIM MATERIAL	CR 13, F6, PTFE, 304, 316, STL TO STL, STL FOR NACE CR 13 TO HARD
BONNET TYPES	HASTELLOY FOR CHLORINE MONEL, INCONEL, BROSS, BRONZ BOLTED BONNET, WELDED BONNET, CRYOGENIC
STANDARD CONNECTION	THREADED, SOCKET WELD, BUTT WELD, NIPPLES
MANUFACTURES	EUROPE, U.S.A, CHINA, KOREA, JAPAN & IRAN



FORGED FITTING	
TYPES	ELBOW (45 & 90), TEE, CROSS, UNION, COUPLING, HALF COUPLING, CAP, HEX BUSHING, HEX NIPPLE, SWEDGE NIPPLE WELDOLET, THREADOLET, SOCKOLET, LATEROLET ELBOLET, REDUCER, INSERT
MATERIAL	CARBON STEEL, STAINLESS STEEL, ALLOY STEEL, GALV AND OTHER AUSTENITIC STEEL GRADES, NACE MATERIAL
GRADES	ASTM A105 N, A350 LF1, LF2, LF6, A182 F1, F5, F9, F11, F22, F44, CLASS304-304L, 316-316L, F321
SIZE	1/8" TO 6"
CLASS	2000/ 3000/ 6000/ 9000
CONNECTION TYPE	THREADED (AND BSP), SOCKET WELD
	EUROPE, U.S.A, CHINA, KOREA, JAPAN & IRAN



TUBE FITTING

<p>TUBE FITTING & VALVES</p>	<p>MAXIMUM WORKING PRESSURE: 6000 PSI (414 BAR) WORKING TEMPERATURE: -65F to 450F(-54C to 232C) PORT CONNECTIONS: 1/16" to 11/2" TEMPERATURE RATING: PTFE PACKING BODY MATERIAL: 304/316 STAINLESS STEEL, CARBON STEEL, MONEL, INCONEL</p>
<p>BALL VALVES & CHECK VALVES</p>	<p>MAXIMUM WORKING PRESSURE : 10000 PSI (689 BAR) @ 100 F (38 C) WORKING TEMPERATURED: -65 F to 450 F(-54C to 232C) PORT CONNECTIONS: 1/16" to 11/2" TEMPERATURE RATING: PTFE PACKING BODY MATERIAL: 304/316 STAINLESS STEEL, CARBON STEEL</p>
<p>GAUGE VALVES & NEEDLE VALVES</p>	<p>MAXIMUM WORKING PRESSURE: 10000 PSI (689 BAR) @ 100 F (38 C) WORKING TEMPERATURED: -65 F to 450 F(-54 C to 23 C) PORT CONNECTIONS: 1/16" to 11/2" TEMPERATURE RATING: PTFE PACKING BODY MATERIAL: 304/316 STAINLESS STEEL, CARBON STEEL</p>



MATERIAL	ASTM PIPE	ASTM PLATE	ASTM FITTING	ASTM FLG/VAL	ASTM VALVE	ELECTROD	BOLT & NUT	TEMPERATURE
C.S	A120					E7016	A139 GR.B7 A194 GR.2H	+450 ↓ -15
	A53 GR.A							
	A106 GR.A	A285 GR.C	A234 GR.WPA	A181 GR.1				
	API-5L GR.B							
	A53 GR.B							
	A106 GR.B	A515 GR.65/70	A234 GR.WPB	A181 GR.2/A105	A216 GR.WCB			
	A106 GR.C		A234 GR.WPC					
K.C.S	A333 GR.6	A516 GR.60/70	A420 GR.WPL6	A350 GR.LF2	A352 GR.LCB	E7016 G	A320 GR.L7	-45 ↓ -100
	A333 GR.3	A203 GR.D	A420 GR.WPL3	A350 GR.LF1	A352 GR.LC3	E8015-C2	A194 GR.4	
ALLOY STEEL & H.TEMP. SERVICE	A335 GR.P1	A204 GR.B	A234 GR.WP1	A182 GR.F1	A217 GR.WC1	E7016-A1	A193 GR.B7 A194 GR.2H	+450 ↓ +650
	A335 GR.P12	A387 GR.B	A234 GR.WP12	A182 GR.F12		E8015-B2		
	A335 GR.P11	A387 GR.C	A234 GR.WP11	A182 GR.F11	A217 GR.WC6	E8015-B3		
	A335 GR.P22	A387 GR.D	A234 GR.WP22	A182 GR.F22	A217 GR.WC9	E502-16		
	A335 GR.P5	A387 GR.E	A234 GR.WP5	A182 GR.F5	A217 GR.WC5	E410		
	A335 GR.P9		A234 GR.WP9	A182 GR.F9	A217 GR.WC12	E308-16		
AUST.SS	A312 GR TP 304	A240 GR.304	A403 GR.WP304	A182 GR.F304	A351 GR.CF8	E308-16		+450 ↓ +650
	A312 GR TP 304H	A240 GR.304H	A403 GR.WP304H	A182 GR.F304H				
	A312 GR TP 304L	A240 GR.304L	A403 GR.WP304L	A182 GR.F304L	A351 GR.CF3	E308L-16	A193 GR.B8	
	A312 GR TP 321	A240 GR.321	A403 GR.WP321	A182 GR.F321	A351 GR.CF8C	E347	A149 GR.8	
	A312 GR TP 321H	A240 GR.321H	A403 GR.WP321H	A182 GR.F321H				
	A312 GR TP 316	A240 GR.316	A403 GR.WP316	A182 GR.F316	A351 GR.CF8M	E316-16		
	A312 GR TP 316H	A240 GR.316H	A403 GR.WP316H	A182 GR.F316H				
	A312 GR TP 316L	A240 GR.316L	A403 GR.WP316L	A182 GR.F316L	A351 GR.CF3M	E316L-16		
	A312 GR TP 347	A240 GR.347	A403 GR.WP347	A182 GR.F347	A351 GR.CF8C	E347		
	A312 GR TP 347H	A240 GR.347H	A403 GR.WP347H	A182 GR.F347H				

PETROSAZAN BARIN



Swagelok®

ROSEMOUNT



BENTELER

Honeywell



FantiniCosmi

erne fittings
the safe connection



TOZEN



CLOW
VALVE CO.

VELAN



TUBOS REUNIDOS, S.A.



ArcelorMittal

M.E.G.A

KITZ



ABB



AUDCO



vallourec



BENKAN®



Armstrong®





خیابان خیام، روبروی پارک شهر، کوچه روحی، پاساژ روحی، طبقه همکف، پلاک ۵
تلفن: ۰۲۱-۳۳۹۴۰۴۶۳ ۰۲۱-۳۳۹۸۵۳۱۸ ۰۲۱-۳۳۹۱۳۷۲۱ ۰۹۱۲-۲۹۸۱۲۷۹